



SHINE

STV Led Power Supply Catalogue 2014

Shine Technology Limited

www.shine-technology.com

<http://shine-technology.en.alibaba.com>



Why Choose Shine STV Waterproof Led Power Supply

Universal AC input 100-240VAC

Fully encapsulated with silicone, waterproof IP67

Class II power unit with fully isolated plastic case

Cooling: By Convection

Short Circuit/Over Load/ Over Voltage protection-Auto recovery

Thermal protection ≤ 85 degree-Auto recovery

Small and compact size

24hours full load burn-in test

CE(EMC LVD) RoHS approved

Two years warranty

POWER OUTPUT	Model No	DC Output	Efficiency	SIZE(mm)	WEIGHT(g)	LINES
12W	STV-12-12	12V/1.0A	75%	130*25*20mm	140	30cm
	STV-24-12	24V/0.5A				
20W	STV-12-20	12V/1.67A	80%	140*30*22mm	175	30cm
	STV-24-20	24V/0.83A				
30W	STV-12-30	12V/2.5A	80%	118*35*26mm	230	30cm
	STV-24-30	24V/1.25A				
40W	STV-12-40	12V/3.3A	80%	147*40*30mm	340	30cm
	STV-24-40	24V/1.67A				
60W	STV-12-60	12V/5.0A	83%	160*42*31mm	410	30cm
	STV-24-60	24V/2.5A				
100W	STV-12-100	12V/8.3A	83%	189*52*37mm	660	30cm
	STV-24-100	24V/4.2A				



STV-12-12

STV-12-20

STV-12-30



STV-12-40

STV-12-60

STV-12-100